

# On Converse Bounds for Classical Communication Over Quantum Channels

Xin Wang<sup>1</sup>, Kun Fang<sup>1</sup>, and Marco Tomamichel<sup>2</sup>, *Senior Member, IEEE*

**Abstract**—We explore several new converse bounds for classical communication over quantum channels in both the one-shot and asymptotic regimes. First, we show that the Matthews-Wehner meta-converse bound for entanglement-assisted classical communication can be achieved by activated, no-signaling assisted codes, suitably generalizing a result for classical channels. Second, we derive a new efficiently computable meta-converse on the amount of classical information unassisted codes can transmit over a single use of a quantum channel. As applications, we provide a finite resource analysis of classical communication over quantum erasure channels, including the second-order and moderate deviation asymptotics. Third, we explore the asymptotic analogue of our new meta-converse, the  $\Upsilon$ -information of the channel. We show that its regularization is an upper bound on the classical capacity, which is generally tighter than the entanglement-assisted capacity and other known efficiently computable strong converse bounds. For covariant channels, we show that the  $\Upsilon$ -information is a strong converse bound.

**Index Terms**—Classical capacity, quantum channel, semidefinite programming, strong converse, quantum channel coding.

## I. INTRODUCTION

ONE of the central problems in quantum information theory is to determine the capability of a noisy quantum channel to transmit classical messages faithfully. The classical capacity of a quantum channel is the highest rate (in bits per channel use) at which it can convey classical information such that the error probability vanishes asymptotically as the code length increases. The Holevo-Schumacher-Westmoreland (HSW) theorem [1]–[3] establishes that the classical capacity of a noisy quantum channel is given by its regularized Holevo information.

Manuscript received December 2, 2017; revised January 30, 2019; accepted January 30, 2019. Date of publication February 11, 2019; date of current version June 14, 2019. X. Wang and K. Fang were supported by the Australian Research Council under Grant DP120103776 and Grant FT120100449. M. Tomamichel was supported by the Australian Research Council Discovery Early Career Researcher Award under Project DE160100821. This paper was presented in part at the 2018 21th Annual Conference on Quantum Information Processing and at the 2018 IEEE International Symposium on Information Theory.

X. Wang was with the Centre for Quantum Software and Information, University of Technology Sydney, Ultimo, NSW 2007, Australia. He is now with the Joint Center for Quantum Information and Computer Science, University of Maryland, College Park, MD 20742 USA (e-mail: wangxinfelix@gmail.com).

K. Fang was with the Centre for Quantum Software and Information, University of Technology Sydney, Ultimo, NSW 2007, Australia. He is now with the Department of Applied Mathematics and Theoretical Physics, University of Cambridge, Cambridge CB3 0WA, U.K. (e-mail: kf383@cam.ac.uk).

M. Tomamichel is with the Centre for Quantum Software and Information, University of Technology Sydney, Ultimo, NSW 2007, Australia (e-mail: marco.tomamichel@uts.edu.au).

Communicated by M. M. Wilde, Associate Editor for Quantum Information Theory.

Digital Object Identifier 10.1109/TIT.2019.2898656

However, in realistic settings, there are natural restrictions imposed on the code length. One fundamental question thus asks how much classical information can be transmitted over a single use of a quantum channel when a finite decoding error is tolerated. Of particular interest is the converse bound given by Polyanskiy, Poor and Verdú (PPV) for classical channels [4]. Their bound, named as “meta-converse”, was established based on hypothesis testing and it limits the performance of a coding scheme given fixed resources. They showed by numerical examples that the bound is quite tight for several channels of interest, even at small blocklengths. Since then, converse bounds with a similar structure to the PPV bound are also called meta-converse. For quantum channels, Matthews and Wehner [5] extended the hypothesis testing approach to the task of transmitting classical bits over quantum channels and formulated converse bounds for codes with or without entanglement assistance. Several other upper and lower bounds on the one-shot classical capacity were explored, e.g. in [6]–[9], but these in general do not match and are often hard to compute.

In Section III we build on an exact expression, provided in [10], for the amount of classical information that can be transmitted over a single use of a quantum channel using codes that are assisted by no-signaling correlations. Using this result we show that the hypothesis testing relative entropy converse bound by Matthews and Wehner [5] can be achieved and is optimal for activated, no-signaling assisted codes. This generalizes to the quantum setting a result by Matthews [11] for no-signaling assisted classical codes, with the additional twist that in the quantum setting the codes require a classical noiseless channel as a catalyst.

In Section IV we provide a new efficiently computable (as a semi-definite program) meta-converse that upper bounds the amount of information that can be transmitted with a single use of the channel by unassisted codes. This meta-converse, in the spirit of the classical meta-converse by Polyanskiy *et al.* [4], relates the channel coding problem to a binary composite hypothesis test between the actual channel and a class of subchannels that are generalizations of the useless channels for classical communication. As a simple application, in Section VI, we apply our meta-converse to establish second-order asymptotics [12] and moderate deviation asymptotics [13], [14] for the classical capacity of the quantum erasure channel.

In Section V we give a new upper bound for the classical capacity of quantum channels inspired by our meta-converse, which we call  $\Upsilon$ -information of the channel. We again interpret this bound as a relative entropy distance between the

quantum channel and a class of useless completely positive trace non-increasing maps. We show that the regularized  $\Upsilon$ -information is a weak converse bound that is always smaller than the entanglement-assisted classical capacity and the semi-definite program strong converse bound in [10]. Furthermore, for covariant channels, we show that the  $\Upsilon$ -information is in fact a strong converse bound.

## II. UNASSISTED, ENTANGLEMENT-ASSISTED AND NO-SIGNALING ASSISTED CODES

For our purposes, a quantum channel  $\mathcal{N}_{A' \rightarrow B}$  is a completely positive (CP) and trace-preserving (TP) linear map from operators on a finite-dimensional Hilbert space  $A'$  to operators on a finite-dimensional Hilbert space  $B$ . We are interested in sending classical messages from Alice to Bob via a given quantum channel  $\mathcal{N}$ . The usual coding scheme is as follows. Alice encodes her message via an operation  $\mathcal{E}_{A \rightarrow A'}$  and sends the encoded message to Bob through the channel  $\mathcal{N}_{A' \rightarrow B}$ . After receiving the message, Bob performs an operation  $\mathcal{D}_{B \rightarrow B'}$  to decode it. More generally, instead of considering the encoding and decoding operations separately, one could imagine the coding protocol as a single super-operator  $\Pi_{AB \rightarrow A'B'}$ . Chiribella *et al.* [15] showed that a two-input and two-output CPTP map  $\Pi_{AB \rightarrow A'B'}$  sends any CPTP map  $\mathcal{N}_{A' \rightarrow B}$  to another CPTP map  $\mathcal{M}_{A \rightarrow B'}$  if and only if  $\Pi_{AB \rightarrow A'B'}$  is B to A no-signaling (see also [16]). We denote by  $\mathcal{M}_{A \rightarrow B'} = \Pi_{AB \rightarrow A'B'} \circ \mathcal{N}_{A' \rightarrow B}$  the resulting composite channel of the super-operator  $\Pi_{AB \rightarrow A'B'}$  and the channel  $\mathcal{N}_{A' \rightarrow B}$ . Then the classical communication task is equivalent to Alice sending the classical messages to Bob using the effective channel  $\mathcal{M}_{A \rightarrow B'}$ . We say  $\Pi$  is an  $\Omega$ -assisted code if it can be implemented by local operations with  $\Omega$ -assistance. In the following, we eliminate  $\Omega$  for the case of unassisted codes and write  $\Omega = E$  and  $\Omega = NS$  for entanglement-assisted and no-signaling-assisted (NS-assisted) codes, respectively. In particular,

- an unassisted code reduces to the product of encoder and decoder, i.e.,  $\Pi = \mathcal{D}_{B \rightarrow B'} \mathcal{E}_{A \rightarrow A'}$ ;
- an entanglement-assisted code corresponds to a superchannel of the form  $\Pi = \mathcal{D}_{B\hat{B} \rightarrow B'} \mathcal{E}_{A\hat{A} \rightarrow A'} \Psi_{\hat{A}\hat{B}}$ , where  $\Psi_{\hat{A}\hat{B}}$  can be any entangled state shared between Alice and Bob;
- a NS-assisted code corresponds to a superchannel which is no-signaling from Alice to Bob and vice-versa.

Given a quantum channel  $\mathcal{N}_{A \rightarrow B}$  and any  $\Omega$ -assisted code  $\Pi$  with size  $m$ , the optimal average success probability of  $\mathcal{N}$  to transmit  $m$  messages is given by

$$p_{\text{succ}, \Omega}(\mathcal{N}, m) := \frac{1}{m} \sup \sum_{k=1}^m \text{Tr} \mathcal{M}(|k\rangle\langle k|) |k\rangle\langle k|, \quad (1)$$

s.t.  $\mathcal{M} = \Pi \circ \mathcal{N}$  is the effective channel.

With this in hand, we now say that a triplet  $(r, n, \varepsilon)$  is achievable on the channel  $\mathcal{N}$  with  $\Omega$ -assisted codes if

$$\frac{1}{n} \log m \geq r, \text{ and } p_{\text{succ}, \Omega}(\mathcal{N}^{\otimes n}, m) \geq 1 - \varepsilon. \quad (2)$$




Fig. 1. General code scheme.

Throughout the paper we take the logarithm to be base two unless stated otherwise. We are interested in the following boundary of the non-asymptotic achievable region:

$$C_{\Omega}^{(1)}(\mathcal{N}, \varepsilon) := \sup \{ \log m \mid p_{\text{succ}, \Omega}(\mathcal{N}, m) \geq 1 - \varepsilon \}. \quad (3)$$

We also define  $p_{\text{succ}, \Omega}(\mathcal{N}, \rho_A, m)$  and  $C_{\Omega}^{(1)}(\mathcal{N}, \rho_A, \varepsilon)$  as the same optimization but only using codes with a fixed average input  $\rho_A$ . The  $\Omega$ -assisted classical capacity of a quantum channel is

$$C_{\Omega}(\mathcal{N}) = \lim_{\varepsilon \rightarrow 0} \lim_{n \rightarrow \infty} \frac{1}{n} C_{\Omega}^{(1)}(\mathcal{N}^{\otimes n}, \varepsilon). \quad (4)$$

## III. MATTHEWS-WEHNER CONVERSE VIA ACTIVATED, NO-SIGNALING ASSISTED CODES

For classical communication over quantum channels assisted by entanglement, Matthews and Wehner [5] proved a meta-converse bound  $R(\mathcal{N}, \varepsilon)$  in terms of the hypothesis testing relative entropy which generalizes Polyanskiy *et al.*'s approach [4] to quantum channels assisted by entanglement. Given a quantum channel  $\mathcal{N}$ , they proved that [5]  $C_E^{(1)}(\mathcal{N}, \varepsilon) \leq R(\mathcal{N}, \varepsilon)$  where

$$R(\mathcal{N}, \varepsilon) := \max_{\rho_{A'}} \min_{\sigma_B} D_H^{\varepsilon}(\mathcal{N}_{A \rightarrow B}(\phi_{AA'}) \| \rho_{A'} \otimes \sigma_B), \quad (5)$$

$\phi_{AA'} = (\mathbb{1}_A \otimes \rho_{A'}^{1/2}) \tilde{\Phi}_{AA'} (\mathbb{1}_A \otimes \rho_{A'}^{1/2})$  is a purification of  $\rho_{A'}$  and  $\tilde{\Phi}_{AA'} = \sum_{ij} |i_A i_{A'}\rangle \langle j_A j_{A'}|$  denotes the unnormalized maximally entangled state. In the above expression the quantum hypothesis testing relative entropy is defined as [7]  $D_H^{\varepsilon}(\rho_0 \| \rho_1) := -\log \beta_{\varepsilon}(\rho_0 \| \rho_1)$  with  $\beta_{\varepsilon}(\rho_0 \| \rho_1) = \min \{ \text{Tr} Q \rho_1 \mid 1 - \text{Tr} Q \rho_0 \leq \varepsilon, 0 \leq Q \leq \mathbb{1} \}$ , which is the minimum type-II error for the test while the type-I error is no greater than  $\varepsilon$ . Note that  $\beta_{\varepsilon}$  is a fundamental quantity in quantum theory [17]–[19] with many applications (e.g., [7], [20]–[26]) and can be solved by a semi-definite program (SDP). The Matthews-Wehner bound in Eq. (5) thus constitutes an SDP itself, i.e.

$$R(\mathcal{N}, \varepsilon) = -\log \underset{F_{AB}, \rho_A, \lambda}{\text{minimize}} \lambda$$

subject to  $0 \leq F_{AB} \leq \rho_A \otimes \mathbb{1}_B,$   
 $\text{Tr} \rho_A = 1,$   
 $\text{Tr}_A F_{AB} \leq \lambda \mathbb{1}_B$   
 $\text{Tr} J_{\mathcal{N}} F_{AB} \geq 1 - \varepsilon. \quad (6)$

Here the Choi-Jamiołkowski matrix [27], [28] of  $\mathcal{N}$  is given by  $J_{\mathcal{N}} = \sum_{ij} |i_A\rangle \langle j_A| \otimes \mathcal{N}(|i_{A'}\rangle \langle j_{A'}|)$ , where  $\{|i_A\rangle\}$  and  $\{|i_{A'}\rangle\}$  are orthonormal bases on isomorphic Hilbert spaces  $\mathcal{H}_A$  and  $\mathcal{H}_{A'}$ , respectively.

For classical channels, the Matthews-Wehner bound is exactly equal to the one-shot classical capacity assisted by NS codes [11]. For quantum channels the one-shot  $\varepsilon$ -error capacity assisted by NS codes is given by [10]

$$C_{\text{NS}}^{(1)}(\mathcal{N}, \varepsilon) = -\log \underset{\substack{F_{AB}, \rho_A, \eta \\ \text{subject to } 0 \leq F_{AB} \leq \rho_A \otimes \mathbb{1}_B, \\ \text{Tr } \rho_A = 1, \\ \text{Tr}_A F_{AB} = \eta \mathbb{1}_B, \\ \text{Tr } J_{\mathcal{N}} F_{AB} \geq 1 - \varepsilon.}}{\eta} \quad (7)$$

Note that the only difference between the SDPs (6) and (7) is the partial trace constraint of  $F_{AB}$ . However, unlike in the classical special case, the SDPs in (6) and (7) are not equal in general [10].

In this section we show that this gap can be closed by considering activated, NS-assisted codes. The concept of activated capacity follows the idea of potential capacities of quantum channels [29]–[31]. The model is described as follows. For a quantum channel  $\mathcal{N}$  assisted by NS codes, we can first borrow a noiseless classical channel  $\mathcal{I}_m$  whose capacity is  $\log m$ , then we can use  $\mathcal{N} \otimes \mathcal{I}_m$  to transmit classical messages. After the communication finishes, we just pay back the capacity of  $\mathcal{I}_m$ . The code scheme in this scenario is what we call activated code. Note that this kind of communication method was also studied in zero-error information theory [32], [33].

**Definition 1** For any quantum channel  $\mathcal{N}$ , we define

$$C_{\text{NS,a}}^{(1)}(\mathcal{N}, \varepsilon) := \sup_{m \geq 1} \left[ C_{\text{NS}}^{(1)}(\mathcal{N} \otimes \mathcal{I}_m, \varepsilon) - \log m \right], \quad (8)$$

where  $\mathcal{I}_m(\rho) := \sum_{i=1}^m \text{Tr}(\rho|i\rangle\langle i|)|i\rangle\langle i|$  the classical noiseless channel with capacity  $\log m$ .

The following is the main result of this section.

**Theorem 2** For any quantum channel  $\mathcal{N}_{A \rightarrow B}$  and error tolerance  $\varepsilon \in (0, 1)$ , we have

$$C_{\text{NS,a}}^{(1)}(\mathcal{N}, \varepsilon) = R(\mathcal{N}, \varepsilon). \quad (9)$$

The proof outline is as follows. We first show that  $\mathcal{I}_2$  is enough to activate the channel to achieve the bound  $R(\mathcal{N}, \varepsilon)$  in the following Lemma 3, i.e.,

$$C_{\text{NS,a}}^{(1)}(\mathcal{N}, \varepsilon) \geq C_{\text{NS}}^{(1)}(\mathcal{N} \otimes \mathcal{I}_2, \varepsilon) - 1 \geq R(\mathcal{N}, \varepsilon). \quad (10)$$

We then show that  $R(\mathcal{N}, \varepsilon)$  is additive for noiseless channel in the following Lemma 4, i.e.,

$$R(\mathcal{N} \otimes \mathcal{I}_m, \varepsilon) = R(\mathcal{N}, \varepsilon) + \log m. \quad (11)$$

This implies that  $R(\mathcal{N}, \varepsilon)$  is also a converse bound for the activated capacity, i.e.,

$$C_{\text{NS,a}}^{(1)}(\mathcal{N}, \varepsilon) = \sup_{m \geq 1} \left[ C_{\text{NS}}^{(1)}(\mathcal{N} \otimes \mathcal{I}_m, \varepsilon) - \log m \right] \quad (12)$$

$$\leq \sup_{m \geq 1} \left[ R(\mathcal{N} \otimes \mathcal{I}_m, \varepsilon) - \log m \right] \quad (13)$$

$$= R(\mathcal{N}, \varepsilon). \quad (14)$$

Then Theorem 2 directly follows from Lemmas 3 and 4.

**Lemma 3** We have  $C_{\text{NS}}^{(1)}(\mathcal{N} \otimes \mathcal{I}_2, \varepsilon) - 1 \geq R(\mathcal{N}, \varepsilon)$ .

*Proof:* This proof is based on a key observation that the additional one-bit noiseless channel can provide a larger solution space to help the activated capacity achieve the quantum hypothesis testing converse. The dual SDP of  $R(\mathcal{N}, \varepsilon)$  is given in the following Eq. (23). By Slater's theorem [34], the strong duality holds. Suppose that the optimal solution to SDP (6) of  $R(\mathcal{N}, \varepsilon)$  is  $\{\lambda, \rho_{A_1}, F_{A_1 B_1}\}$ . We are going to use this optimal solution to construct a feasible solution of the SDP (7) of  $C_{\text{NS}}^{(1)}(\mathcal{N} \otimes \mathcal{I}_2, \varepsilon)$ .

Let us choose

$$\rho_{A_1 A_2} = \rho_{A_1} \otimes \frac{1}{2}(|0\rangle\langle 0| + |1\rangle\langle 1|)_{A_2}, \quad \text{and} \quad (15)$$

$$F_{A_1 A_2 B_1 B_2} = \frac{1}{2} F_{A_1 B_1} \otimes G_{A_2 B_2} + \frac{1}{2} \tilde{F}_{A_1 B_1} \otimes \tilde{G}_{A_2 B_2}, \quad (16)$$

with

$$G_{A_2 B_2} = (|00\rangle\langle 00| + |11\rangle\langle 11|)_{A_2 B_2}, \quad (17)$$

$$\tilde{G}_{A_2 B_2} = (|01\rangle\langle 01| + |10\rangle\langle 10|)_{A_2 B_2}, \quad (18)$$

$$\tilde{F}_{A_1 B_1} = \rho_{A_1} \otimes (\lambda \mathbb{1}_{B_1} - \text{Tr}_{A_1} F_{A_1 B_1}). \quad (19)$$

We see that  $F_{A_1 A_2 B_1 B_2} \geq 0$ ,  $\rho_{A_1 A_2} \geq 0$  and  $\text{Tr } \rho_{A_1 A_2} = 1$ . Moreover, this construction ensures that

$$\begin{aligned} & \text{Tr}_{A_1 A_2} F_{A_1 A_2 B_1 B_2} \\ &= \frac{1}{2} \text{Tr}_{A_1} [(F_{A_1 B_2} + \tilde{F}_{A_1 B_1}) \otimes \mathbb{1}_{B_2}] = \frac{\lambda}{2} \mathbb{1}_{B_1 B_2}, \end{aligned} \quad (20)$$

and

$$\begin{aligned} & \text{Tr}(J_{\mathcal{N}} \otimes D_{A_2 B_2}) F_{A_1 A_2 B_1 B_2} \\ &= \frac{1}{2} \text{Tr } J_{\mathcal{N}} F_{A_1 B_1} \otimes \text{Tr } D_{A_2 B_2} G_{A_2 B_2} \end{aligned} \quad (21)$$

$$= \text{Tr } J_{\mathcal{N}} F_{A_1 B_1} \geq 1 - \varepsilon, \quad (22)$$

where  $D_{A_2 B_2} = \sum_{i=0}^1 |ii\rangle\langle ii|$  is the Choi-Jamiołkowski matrix of  $\mathcal{I}_2$ . Furthermore,  $\rho_{A_1} \otimes \mathbb{1}_{B_1} - \tilde{F}_{A_1 B_1} \geq 0$  and consequently we find that  $\rho_{A_1 A_2} \otimes \mathbb{1}_{B_1 B_2} - F_{A_1 A_2 B_1 B_2} \geq 0$ . Hence,  $\{\frac{1}{2}\lambda, \rho_{A_1 A_2}, F_{A_1 A_2 B_1 B_2}\}$  is a feasible solution, ensuring that  $C_{\text{NS}}^{(1)}(\mathcal{N} \otimes \mathcal{I}_2, \varepsilon) - 1 \geq R(\mathcal{N}, \varepsilon)$ . ■

**Lemma 4** We have  $R(\mathcal{N} \otimes \mathcal{I}_m, \varepsilon) = R(\mathcal{N}, \varepsilon) + \log m$ .

*Proof:* On the one hand, it is easy to prove that  $R(\mathcal{N} \otimes \mathcal{I}_m, \varepsilon) \geq R(\mathcal{N}, \varepsilon) + \log m$ . To see the other direction, we are going to use the dual SDP of  $R(\mathcal{N}, \varepsilon)$ :

$$\begin{aligned} R(\mathcal{N}, \varepsilon) &= -\log \underset{X_{AB}, Y_B, s, t}{\text{maximize}} [s(1 - \varepsilon) - t] \\ &\text{subject to } X_{AB} + \mathbb{1}_A \otimes Y_B \geq s J_{\mathcal{N}}, \\ &\text{Tr}_B X_{AB} \leq t \mathbb{1}_A, \\ &\text{Tr } Y_B \leq 1, \\ &X_{AB}, Y_B, s \geq 0. \end{aligned} \quad (23)$$

We note that the strong duality holds here by Slater's theorem [34]. Suppose that the optimal solution to the dual SDP (23) of  $R(\mathcal{N}, \varepsilon)$  is  $\{\hat{X}_{AB}, \hat{Y}_B, \hat{s}, \hat{t}\}$ . Let us choose  $X_{AA' BB'} = \frac{1}{m} \hat{X}_{AB} \otimes D_m$ ,  $Y_{BB'} = \frac{1}{m} \hat{Y}_B \otimes \mathbb{1}_m$ ,  $s = \frac{1}{m} \hat{s}$ ,  $t = \frac{1}{m} \hat{t}$ , with  $D_m = \sum_{i=0}^{m-1} |ii\rangle\langle ii|$ . Then it can be easily checked that

$$\begin{aligned} & X_{AA' BB'} + \mathbb{1}_{AA'} \otimes Y_{BB'} \\ &\geq (\hat{X}_{AB} + \mathbb{1}_A \otimes \hat{Y}_B) \otimes \frac{D_m}{m} \geq s J_{\mathcal{N}} \otimes D_m. \end{aligned} \quad (24)$$

The other constraints can be verified similarly. Thus,  $\{X_{AA'BB'}, Y_{BB'}, s, t\}$  is a feasible solution to the SDP (23) of  $R(\mathcal{N} \otimes \mathcal{I}_m, \varepsilon)$ , which implies that

$$R(\mathcal{N} \otimes \mathcal{I}_m, \varepsilon) \leq -\log[s(1 - \varepsilon) - t] = R(\mathcal{N}, \varepsilon) + \log m,$$

and completes the proof.  $\blacksquare$

#### IV. NEW META-CONVERSE FOR UNASSISTED CLASSICAL COMMUNICATION

In the following we will use the concept of *subchannels*. Denote  $\mathcal{S}(A) := \{\rho_A \geq 0 \mid \text{Tr} \rho_A = 1\}$  as the set of quantum states on  $A$ . A subchannel  $\mathcal{N}_{A \rightarrow B}$  is a CP linear map that is trace non-increasing, i.e.,  $\text{Tr} \mathcal{N}(\rho) \leq 1$  for all quantum states  $\rho \in \mathcal{S}(A)$ .

Recall that the only useless quantum channel for classical communication is the *constant channel*  $\mathcal{N}(\cdot) = \sigma$  [1]–[3], [35], [36], which maps all states  $\rho$  on  $A$  to a constant state  $\sigma$  on  $B$ . As a natural extension, we say a subchannel  $\mathcal{N}$  is *constant-bounded* if it maps all states  $\rho$  to positive definite operators that are smaller than or equal to a constant state  $\sigma$ , i.e.,

$$\mathcal{N}(\rho) \leq \sigma, \forall \rho \in \mathcal{S}(A). \quad (25)$$

We also define the set of constant-bounded subchannels as  $\mathcal{V} := \{\mathcal{M} \in \text{CP}(A : B) \mid \exists \sigma \in \mathcal{S}(B) \text{ s.t. } \mathcal{M}(\rho) \leq \sigma, \forall \rho \in \mathcal{S}(A)\}$ , where  $\text{CP}(A : B)$  denotes the set of all CP linear maps from  $A$  to  $B$ . Clearly, the set  $\mathcal{V}$  is convex and closed. This inspires the following new one-shot converse bound.

**Theorem 5** *For any quantum channel  $\mathcal{N}_{A' \rightarrow B}$  and error tolerance  $\varepsilon \in (0, 1)$ , we have*

$$C^{(1)}(\mathcal{N}, \varepsilon) \leq \max_{\rho_{A'}} \min_{\mathcal{M} \in \mathcal{V}} D_H^\varepsilon(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \parallel \mathcal{M}_{A' \rightarrow B}(\phi_{A'A})) \quad (26)$$

$$= \min_{\mathcal{M} \in \mathcal{V}} \max_{\rho_{A'}} D_H^\varepsilon(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \parallel \mathcal{M}_{A' \rightarrow B}(\phi_{A'A})), \quad (27)$$

where  $\phi_{A'A}$  is a purification of  $\rho_{A'}$ .

*Proof:* Consider an unassisted code with inputs  $\{\rho_k\}_{k=1}^m$  and POVM  $\{M_k\}_{k=1}^m$  whose average input state is  $\rho_{A'} = \sum_{k=1}^m \frac{1}{m} \rho_k$ , the success probability to transmit  $m$  messages is given by

$$p_{\text{succ}} = \frac{1}{m} \sum_{k=1}^m \text{Tr} \mathcal{N}(\rho_k) M_k \quad (28)$$

$$= \text{Tr} J_{\mathcal{N}} \left( \sum_{k=1}^m \frac{1}{m} \rho_k^T \otimes M_k \right) \quad (29)$$

$$= \text{Tr} \mathcal{N}_{A' \rightarrow B}(\phi_{AA'}) E, \quad (30)$$

where

$$E := (\rho_A^T)^{-1/2} \left( \sum_{k=1}^m \frac{1}{m} \rho_k^T \otimes M_k \right) (\rho_A^T)^{-1/2}. \quad (31)$$

Then we have

$$0 \leq E \leq (\rho_A^T)^{-1/2} \left( \sum_{k=1}^m \frac{1}{m} \rho_k^T \otimes \mathbb{1}_B \right) (\rho_A^T)^{-1/2} = \mathbb{1}_{AB}. \quad (32)$$

Let us fix  $\mathcal{M} \in \mathcal{V}$  and assume that the output states of  $\mathcal{M}$  are bounded by the state  $\sigma_B$ , then

$$\text{Tr} \mathcal{M}_{A' \rightarrow B}(\phi_{AA'}) E = \text{Tr} J_{\mathcal{M}} \left( \sum_{k=1}^m \frac{1}{m} \rho_k^T \otimes M_k \right) \quad (33)$$

$$= \frac{1}{m} \sum_{k=1}^m \text{Tr} \mathcal{M}(\rho_k) M_k \quad (34)$$

$$\leq \frac{1}{m} \sum_{k=1}^m \text{Tr} \sigma_B M_k = \frac{1}{m}. \quad (35)$$

The second line follows from the fact that  $J_{\mathcal{M}} = (\rho_A^T)^{-1/2} \mathcal{M}_{A' \rightarrow B}(\phi_{AA'}) (\rho_A^T)^{-1/2}$ . In the third line, we use the inverse Choi-Jamiolkowski transformation  $\mathcal{M}_{A' \rightarrow B}(\rho_{A'}) = \text{Tr}_A J_{\mathcal{M}}(\rho_A^T \otimes \mathbb{1}_B)$ . The fourth line follows since any output state of  $\mathcal{M}$  is bounded by the state  $\sigma_B$ . Therefore, combining Eqs. (30) and (35), we know that  $\text{Tr} \mathcal{N}_{A' \rightarrow B}(\phi_{AA'}) E \geq 1 - \varepsilon$  and  $\text{Tr} \mathcal{M}_{A' \rightarrow B}(\phi_{AA'}) E \leq \frac{1}{m}$ . Thus  $C^{(1)}(\mathcal{N}, \rho_{A'}, \varepsilon) \leq \min_{\mathcal{M} \in \mathcal{V}} D_H^\varepsilon(\mathcal{N}_{A' \rightarrow B}(\phi_{AA'}) \parallel \mathcal{M}_{A' \rightarrow B}(\phi_{AA'}))$ . Maximizing over all average input  $\rho_{A'}$ , we can obtain the desired result of (26).

Since  $\beta_\varepsilon(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \parallel \mathcal{M}_{A' \rightarrow B}(\phi_{A'A}))$  is convex in  $\rho_{A'}$  and concave in  $\mathcal{M}$  [5], we can exchange the maximization and minimization by applying Sion's minimax theorem [37] and obtain the result of (27).  $\blacksquare$

**Remark** Noting that  $E$  above also satisfies  $0 \leq E^{TB} \leq \mathbb{1}$ , we can further obtain an upper bound of  $C^{(1)}(\mathcal{N}, \varepsilon)$  as

$$\max_{\rho_{A'}} \min_{\mathcal{M} \in \mathcal{V}} D_{H, PPT}^\varepsilon(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \parallel \mathcal{M}_{A' \rightarrow B}(\phi_{A'A})), \quad (36)$$

where  $D_{H, PPT}^\varepsilon(\rho_0 \parallel \rho_1)$  is defined as the optimal value of

$$-\log \min \{ \text{Tr} E \rho_1 \mid 1 - \text{Tr} E \rho_0 \leq \varepsilon, 0 \leq E, E^{TB} \leq \mathbb{1} \}. \quad (37)$$

If we consider  $\max_{\rho_{A'}} D_H^\varepsilon(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \parallel \mathcal{M}_{A' \rightarrow B}(\phi_{A'A}))$  as the “distance” between the channel  $\mathcal{N}$  and CP map  $\mathcal{M}$ , then our new meta-converse can be treated as the “distance” between the given channel  $\mathcal{N}$  with the set of all constant-bounded subchannels.

To make this meta-converse bound efficiently computable, we can restrict the set of constant-bounded subchannels  $\mathcal{V}$  to an SDP-tractable set of CP maps. Let us define

$$\mathcal{V}_\beta := \{\mathcal{M} \in \text{CP}(A : B) \mid \beta(J_{\mathcal{M}}) \leq 1\}, \quad (38)$$

where  $\beta(J_{\mathcal{M}})$  is given by the following SDP

$$\begin{aligned} \beta(J_{\mathcal{M}}) := & \text{minimize } \text{Tr} S_B \\ & \text{subject to } -R_{AB} \leq J_{\mathcal{M}}^{TB} \leq R_{AB}, \\ & -\mathbb{1}_A \otimes S_B \leq R_{AB}^{TB} \leq \mathbb{1}_A \otimes S_B. \end{aligned} \quad (39)$$

Here  $J_{\mathcal{M}}$  is the Choi-Jamiolkowski matrix of  $\mathcal{M}$  and  $T_B$  means the partial transpose on system  $B$ . We note that  $\beta(\cdot)$  for a quantum channel  $\mathcal{N}$  is faithful in the sense that  $\beta(J_{\mathcal{N}}) = 1$  if and only if  $C(\mathcal{N}) = 0$  [10]. Thus the set  $\mathcal{V}_\beta$  contains all the constant channels, which makes it reasonable, to some extent, to introduce the set  $\mathcal{V}_\beta$  here. Moreover, the set  $\mathcal{V}_\beta$  also satisfies some basic properties such as convexity and invariance under composition with unitary maps. These are shown in Appendix A.

**Lemma 6** *The set  $\mathcal{V}_\beta$  is a subset of  $\mathcal{V}$ , i.e.,  $\mathcal{V}_\beta \subseteq \mathcal{V}$ .*

*Proof:* Note that the strong duality of SDP (39) holds due to the Slater's theorem [34]. Given a CP map  $\mathcal{M}$  in  $\mathcal{V}_\beta$ , we suppose that the optimal solution of  $\beta(J_{\mathcal{M}})$  is  $\{R_{AB}, S_B\}$ . Then, we know  $\beta(J_{\mathcal{M}}) = \text{Tr } S_B \leq 1$ . Furthermore, for any input  $\rho_A$ , the output  $\mathcal{M}(\rho_A)$  satisfies that

$$\mathcal{M}_{A \rightarrow B}(\rho_A) = \text{Tr}_A \sqrt{\rho_A^T J_{\mathcal{M}} \sqrt{\rho_A^T}} \quad (40)$$

$$= \left( \text{Tr}_A \sqrt{\rho_A^T J_{\mathcal{M}}^T B \sqrt{\rho_A^T}} \right)^T \quad (41)$$

$$\leq \left( \text{Tr}_A \sqrt{\rho_A^T R_{AB} \sqrt{\rho_A^T}} \right)^T \quad (42)$$

$$= \text{Tr}_A \sqrt{\rho_A^T R_{AB}^T B \sqrt{\rho_A^T}} \quad (43)$$

$$\leq \text{Tr}_A \sqrt{\rho_A^T (\mathbb{1}_A \otimes S_B) \sqrt{\rho_A^T}} \quad (44)$$

$$= S_B. \quad (45)$$

As a consequence of Theorem 5 and Lemma 6, we have the following meta-converse.

**Theorem 7** *For any quantum channel  $\mathcal{N}_{A' \rightarrow B}$  and error tolerance  $\varepsilon \in (0, 1)$ , we have*

$$C^{(1)}(\mathcal{N}, \varepsilon) \leq \max_{\rho_{A'}} \min_{\mathcal{M} \in \mathcal{V}_\beta} D_H^\varepsilon(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \| \mathcal{M}_{A' \rightarrow B}(\phi_{A'A})) \quad (46)$$

$$= \min_{\mathcal{M} \in \mathcal{V}_\beta} \max_{\rho_{A'}} D_H^\varepsilon(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \| \mathcal{M}_{A' \rightarrow B}(\phi_{A'A})), \quad (47)$$

where  $\phi_{A'A}$  is a purification of  $\rho_{A'}$ . Note that this bound can be computed via SDP (see Appendix D).

There are several other converses for the one-shot  $\varepsilon$ -error capacity of a general quantum channel, e.g., the Matthews-Wehner converse [5], the Datta-Hsieh converse [38], and the recent SDP converse via no-signaling (NS) and positive-partial-transpose-preserving (PPT) codes [10]. Note that the Datta-Hsieh converse is not known to be efficiently computable. Also, our meta-converses in Theorem 5 and 7 are always tighter than the Matthews-Wehner converse in Eq. (5) since we can rewrite  $R(\mathcal{N}, \varepsilon)$  as

$$\max_{\rho_{A'}} \min_{\mathcal{M} \in \mathcal{W}} D_H^\varepsilon(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \| \mathcal{M}_{A' \rightarrow B}(\phi_{A'A})), \quad (48)$$

where  $\mathcal{W}$  is the set of all constant channels and  $\mathcal{W} \subsetneq \mathcal{V}_\beta \subsetneq \mathcal{V}$ . But our relaxed meta-converse in Theorem 7 is no tighter than the SDP converse via NS and PPT codes (cf. [10, Th. 4]).

As we will show later, our meta-converse will lead to new results in both the finite blocklength and asymptotic regimes. In particular, our new bounds allow us to establish finite blocklength analysis for quantum channels beyond classical-quantum channels (cf. Section VI), which haven't been done via previous converse bounds.

## V. COMPARISON OF ASYMPTOTIC CONVERSE BOUNDS

By substituting the relative entropy for the hypothesis testing relative entropy in our meta-converse we define the




Fig. 2. Relation graph of converse bounds. An arrow  $A \rightarrow B$  indicates that  $A(\mathcal{N}) \geq B(\mathcal{N})$  for any channel  $\mathcal{N}$ .  $A \leftrightarrow B$  indicates that  $A$  and  $B$  are not comparable, i.e.,  $A(\mathcal{N}) > B(\mathcal{N})$  for some channel  $\mathcal{N}$  and  $A(\mathcal{M}) < B(\mathcal{M})$  for some channel  $\mathcal{M}$ .

following quantity, which we call the  $\Upsilon$ -information of the channel  $\mathcal{N}$ ,

$$\Upsilon(\mathcal{N}) := \max_{\rho_{A'}} \min_{\mathcal{M} \in \mathcal{V}} D(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \| \mathcal{M}_{A' \rightarrow B}(\phi_{A'A})), \quad (49)$$

where the relative entropy is defined as  $D(\rho \| \sigma) := \text{Tr } \rho (\log \rho - \log \sigma)$  if  $\text{supp } \rho \subseteq \text{supp } \sigma$  and  $+\infty$  otherwise. We also introduce its regularization,

$$\Upsilon^\infty(\mathcal{N}) := \limsup_{n \rightarrow \infty} \frac{1}{n} \Upsilon(\mathcal{N}^{\otimes n}). \quad (50)$$

Recently, one of us and his collaborators [10] derived an SDP strong converse bound  $C_\beta(\mathcal{N})$  for the classical capacity of a general quantum channel, which means that any code with a rate exceeding this bound will have a vanishing success probability. To be specific, for any quantum channel  $\mathcal{N}$ , it holds that  $C(\mathcal{N}) \leq C_\beta(\mathcal{N}) := \log \beta(J_{\mathcal{N}})$ . In this section our goal is to compare  $\Upsilon$  and  $\Upsilon^\infty$  with other known quantities: the Holevo capacity  $\chi$ , the classical capacity  $C$  (or regularized Holevo capacity), the entanglement-assisted classical capacity  $C_E$ , and the strong converse bound  $C_\beta$ . The graph of relations among these quantities is displayed in Fig. 2.

**Proposition 8** *For any quantum channel  $\mathcal{N}$ , we have*

$$\chi(\mathcal{N}) \leq \Upsilon(\mathcal{N}) \quad \text{and} \quad C(\mathcal{N}) \leq \Upsilon^\infty(\mathcal{N}). \quad (51)$$

*Proof:* We first need to prove that the quantity  $D(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \| \mathcal{M}_{A' \rightarrow B}(\phi_{A'A}))$  is concave in  $\rho_{A'}$ . For any convex combination  $\rho_{A'} = \sum_i p_i \rho_{A'}^i$ , suppose  $\rho_{A'}^i$  has a purification  $\phi_{A'A}^i$ . Then  $|\psi_{PAA'}\rangle = \sum_i \sqrt{p_i} |i\rangle \otimes |\phi_{A'A}^i\rangle$  is a purification of the state  $\rho_{A'}$ . By the data-processing inequality of the relative entropy under the channel  $\sum_i |i\rangle \langle i| \cdot |i\rangle \langle i|$ , we have

$$D(\mathcal{N}_{A' \rightarrow B}(\psi_{PAA'}) \| \mathcal{M}_{A' \rightarrow B}(\psi_{PAA'})) \geq D(G_1 \| G_2),$$

with

$$G_1 = \sum_i p_i |i\rangle \langle i| \otimes \mathcal{N}_{A' \rightarrow B}(\phi_{A'A}^i), \quad (52)$$

$$G_2 = \sum_i p_i |i\rangle \langle i| \otimes \mathcal{M}_{A' \rightarrow B}(\phi_{A'A}^i). \quad (53)$$

Then the concavity follows from

$$D(G_1 \| G_2) = \sum_i p_i D(\mathcal{N}_{A' \rightarrow B}(\phi_{AA'}^i) \| \mathcal{M}_{A' \rightarrow B}(\phi_{AA'}^i)).$$

We have the following chain of inequalities:

$$\Upsilon(\mathcal{N}) = \max_{\rho_{A'}} \min_{\mathcal{M} \in \mathcal{V}} D(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \| \mathcal{M}_{A' \rightarrow B}(\phi_{A'A})) \quad (54)$$

$$= \min_{\mathcal{M} \in \mathcal{V}} \max_{\rho_{A'}} D(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \| \mathcal{M}_{A' \rightarrow B}(\phi_{A'A})) \quad (55)$$

$$\geq \min_{\mathcal{M} \in \mathcal{V}} \max_{\rho_{A'}} D(\mathcal{N}_{A' \rightarrow B}(\rho_{A'}) \| \mathcal{M}_{A' \rightarrow B}(\rho_{A'})) \quad (56)$$

$$\geq \min_{\mathcal{M} \in \mathcal{V}} \max_{\rho_{A'}} D(\mathcal{N}_{A' \rightarrow B}(\rho_{A'}) \| \sigma_{\mathcal{M}}) \quad (57)$$

$$\geq \min_{\sigma_B} \max_{\rho_{A'}} D(\mathcal{N}_{A' \rightarrow B}(\rho_{A'}) \| \sigma_B) \quad (58)$$

$$= \chi(\mathcal{N}). \quad (59)$$

The second line follows by Sion's minimax theorem [37] since  $D(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \| \mathcal{M}_{A' \rightarrow B}(\phi_{A'A}))$  is convex in  $\mathcal{M}$  and concave in  $\rho_{A'}$ . The third line follows by tracing out the system  $A$  and the data-processing inequality of the relative entropy. The fourth line follows since for any  $\mathcal{M} \in \mathcal{V}$  and  $\rho_{A'}$ , there exists a state  $\sigma_{\mathcal{M}}$  independent of  $\rho_{A'}$  such that  $\mathcal{M}_{A' \rightarrow B}(\rho_{A'}) \leq \sigma_{\mathcal{M}}$ . Due to the dominance property of the relative entropy, we have the inequality. The fifth line follows since we relax the feasible set of the minimization to a larger set. The last line follows from the characterization of the Holevo capacity as the divergence radius [35].

Finally, according to the HSW theorem, we have

$$C(\mathcal{N}) = \limsup_{n \rightarrow \infty} \frac{1}{n} \chi(\mathcal{N}^{\otimes n}) \quad (60)$$

$$\leq \limsup_{n \rightarrow \infty} \frac{1}{n} \Upsilon(\mathcal{N}^{\otimes n}) = \Upsilon^\infty(\mathcal{N}), \quad (61)$$

which completes the proof. ■

**Proposition 9** For any quantum channel  $\mathcal{N}$ , we have

$$\Upsilon(\mathcal{N}) \leq C_E(\mathcal{N}) \text{ and } \Upsilon^\infty(\mathcal{N}) \leq C_E(\mathcal{N}). \quad (62)$$

*Proof:* For any state  $\sigma_B$  we introduce a trivial channel  $\mathcal{M}$  that always outputs  $\sigma_B$  via its Choi-Jamiołkowski matrix  $J_{\mathcal{M}} = \mathbb{1}_A \otimes \sigma_B$ . Then  $\mathcal{M} \in \mathcal{V}$  and we have

$$\begin{aligned} \min_{\sigma_B} D(\mathcal{N}_{A' \rightarrow B}(\phi_{AA'}) \| \rho_A \otimes \sigma_B) \\ = \min_{\sigma_B} D(\mathcal{N}_{A' \rightarrow B}(\phi_{AA'}) \| \rho_A^{1/2} (\mathbb{1}_A \otimes \sigma_B) \rho_A^{1/2}) \end{aligned} \quad (63)$$

$$\geq \min_{\mathcal{M} \in \mathcal{V}} D(\mathcal{N}_{A' \rightarrow B}(\phi_{AA'}) \| \mathcal{M}_{A' \rightarrow B}(\phi_{AA'})). \quad (64)$$

Take maximization over all input state  $\rho_{A'}$  on both sides, we have  $C_E(\mathcal{N}) \geq \Upsilon(\mathcal{N})$ . Furthermore, since  $C_E(\mathcal{N})$  is additive, we have

$$C_E(\mathcal{N}) = \limsup_{n \rightarrow \infty} \frac{1}{n} C_E(\mathcal{N}^{\otimes n}) \quad (65)$$

$$\geq \limsup_{n \rightarrow \infty} \frac{1}{n} \Upsilon(\mathcal{N}^{\otimes n}) = \Upsilon^\infty(\mathcal{N}), \quad (66)$$

which completes the proof. ■

**Proposition 10** For any quantum channel  $\mathcal{N}$ , we have

$$\Upsilon(\mathcal{N}) \leq C_\beta(\mathcal{N}) \text{ and } \Upsilon^\infty(\mathcal{N}) \leq C_\beta(\mathcal{N}). \quad (67)$$

*Proof:* Take  $\widetilde{\mathcal{M}} = \frac{1}{\beta(J_{\mathcal{N}})} \mathcal{N}$ , then  $\widetilde{\mathcal{M}} \in \mathcal{V}_\beta \subseteq \mathcal{V}$  and

$$\begin{aligned} \Upsilon(\mathcal{N}) &= \max_{\rho_{A'}} \min_{\mathcal{M} \in \mathcal{V}} D(\mathcal{N}_{A' \rightarrow B}(\phi_{AA'}) \| \mathcal{M}_{A' \rightarrow B}(\phi_{AA'})) \\ &\leq \max_{\rho_{A'}} D(\mathcal{N}_{A' \rightarrow B}(\phi_{AA'}) \| \widetilde{\mathcal{M}}_{A' \rightarrow B}(\phi_{AA'})) \end{aligned} \quad (68)$$

$$= \max_{\rho_{A'}} D\left(\mathcal{N}_{A' \rightarrow B}(\phi_{AA'}) \left\| \frac{\mathcal{N}_{A' \rightarrow B}(\phi_{AA'})}{\beta(J_{\mathcal{N}})}\right.\right) \quad (69)$$

$$= \log \beta(J_{\mathcal{N}}) \quad (70)$$

$$= C_\beta(\mathcal{N}). \quad (71)$$

Furthermore, since  $C_\beta(\mathcal{N})$  is additive [10], we have

$$\Upsilon^\infty(\mathcal{N}) = \limsup_{n \rightarrow \infty} \frac{1}{n} \Upsilon(\mathcal{N}^{\otimes n}) \quad (72)$$

$$\leq \limsup_{n \rightarrow \infty} \frac{1}{n} C_\beta(\mathcal{N}^{\otimes n}) = C_\beta(\mathcal{N}), \quad (73)$$

which completes the proof. ■

In the remainder we focus on covariant channels which allow us to simplify the set of input states. Let  $G$  be a finite group, and for every  $g \in G$ , let  $g \rightarrow U_A(g)$  and  $g \rightarrow V_B(g)$  be unitary representation acting on the input and output spaces of the channel, respectively. Then a quantum channel  $\mathcal{N}_{A \rightarrow B}$  is  $G$ -covariant if  $\forall \rho_A \in \mathcal{S}(A)$ ,

$$\mathcal{N}_{A \rightarrow B}(U_A(g) \rho_A U_A^\dagger(g)) = V_B(g) \mathcal{N}_{A \rightarrow B}(\rho_A) V_B^\dagger(g).$$

A quantum channel is *covariant* if it is covariant with respect to a finite group  $G$  for which each  $g \in G$  has a unitary representation  $U(g)$  such that  $\{U(g)\}_{g \in G}$  is a unitary one-design. That is, the map  $\frac{1}{|G|} \sum_{g \in G} U(g)(\cdot)U(g)^\dagger$  always outputs the maximally mixed state for all input states.

**Proposition 11** For any covariant channel  $\mathcal{N}$ , we have

$$\Upsilon^\infty(\mathcal{N}) \leq \Upsilon(\mathcal{N}). \quad (74)$$

*Proof:* Following the proof steps in Lemma 18 for the quantum relative entropy, we can fix the average input state of  $\Upsilon(\mathcal{N})$  to be the maximally mixed state. Therefore, we find

$$\Upsilon(\mathcal{N}) = \min_{\mathcal{M} \in \mathcal{V}} D(\mathcal{N}_{A' \rightarrow B}(\Phi_{A'A}) \| \mathcal{M}_{A' \rightarrow B}(\Phi_{A'A})), \quad (75)$$

where  $\Phi_{A'A} = \frac{1}{d} \sum_{i,j=0}^{d-1} |ii\rangle\langle jj|$ . Thus it is clear that that  $\Upsilon$  is subadditive for covariant channels, i.e.,  $\Upsilon(\mathcal{N}^{\otimes n}) \leq n\Upsilon(\mathcal{N})$ , which implies  $\Upsilon^\infty(\mathcal{N}) \leq \Upsilon(\mathcal{N})$ . ■

**Remark** In an analogous spirit as in [39] we can also show that the  $\Upsilon$ -information of a channel is a strong converse bound for covariant channels. We present this analysis in Appendix C.

We provide a summarized graph of relations among the old bounds and new bounds in Fig. 2. Since  $C_\beta$  and  $C_E$  are relaxations of the  $\Upsilon$ -information, then the  $\Upsilon$ -information is expected to be generally tighter than  $C_\beta$  and  $C_E$ . Similarly, since the  $\Upsilon$ -information is a relaxation of the Holevo capacity, the inequality between them may be strict in general. However, for quantum erasure channels, our  $\Upsilon$ -information is tight and it holds that

$$\Upsilon(\mathcal{E}_p) = \Upsilon^\infty(\mathcal{E}_p) = C(\mathcal{E}_p) = \chi(\mathcal{E}_p) = (1-p) \log d,$$

(see details in Section VI). Combining this property and the meta-converse in Theorem 7, we establish the finite blocklength analysis for classical communication over quantum erasure channels in Theorems 13 and 14. Another interesting case is the qubit depolarizing channel  $\mathcal{N}_D(\rho) := (1-p)\rho + \frac{p}{3}(X\rho X + Y\rho Y + Z\rho Z)$ , where  $X, Y$  and  $Z$  are Pauli matrices. For this class of channels, we numerically find that the  $\Upsilon$ -information appears to be strictly larger than the Holevo capacity but it is tighter than  $C_\beta$  and  $C_E$ . We expect that the  $\Upsilon$ -information may have further applications in studying the strong converse property of other quantum channels.

## VI. FINITE BLOCKLENGTH ANALYSIS FOR QUANTUM ERASURE CHANNEL

The quantum erasure channel is denoted by

$$\mathcal{E}_p(\rho) := (1-p)\rho + p|e\rangle\langle e|, \quad (76)$$

where  $|e\rangle$  is orthogonal to the input Hilbert space. The classical capacity of a quantum erasure channel is given by  $C(\mathcal{E}_p) = (1-p)\log d$ , where  $d$  is the dimension of input space [40]. In [41], the strong converse property for the classical capacity of  $\mathcal{E}_p$  is established.

In this section, applying our new meta-converse, we derive the second-order expansion and moderate deviation analysis of quantum erasure channel in Theorem 13 and 14, respectively. To our knowledge, this is the first second-order or moderate deviation expansion of classical capacity beyond entanglement-breaking channels.

We first show that the  $\Upsilon$ -information matches the classical capacity for erasure channels.

**Lemma 12** *For any quantum erasure channel  $\mathcal{E}_p$  with input dimension  $d$ , we have  $\Upsilon(\mathcal{E}_p) = (1-p)\log d$ .*

*Proof:* Since quantum erasure channels are covariant, we can restrict the input state to the maximally mixed state, i.e.,

$$\Upsilon(\mathcal{E}_p) = \min_{\mathcal{M} \in \mathcal{V}} D(\mathcal{E}_p(\Phi_{A'A}) \| \mathcal{M}(\Phi_{A'A})), \quad (77)$$

where  $\Phi_{A'A} = \frac{1}{d} \sum_{i,j=0}^{d-1} |ii\rangle\langle jj|$  is the maximally entangled state. Denote

$$J_{\mathcal{M}} = \frac{1-p}{d} \sum_{i,j=0}^{d-1} |ii\rangle\langle jj| + p \sum_{i=0}^{d-1} |i\rangle\langle i| \otimes |d\rangle\langle d| \quad (78)$$

as the Choi-Jamiołkowski matrix of the CP map  $\mathcal{M}$ . Then we have  $\mathcal{M} \in \mathcal{V}_\beta \subseteq \mathcal{V}$  and

$$\Upsilon(\mathcal{E}_p) \leq D(\mathcal{E}_p(\Phi_{A'A}) \| \mathcal{M}(\Phi_{A'A})) = (1-p)\log d. \quad (79)$$

On the other hand, since  $\Upsilon$  is an upper bound on the classical capacity for covariant channels due to Proposition 8 and 11, we have  $(1-p)\log d = C(\mathcal{E}_p) \leq \Upsilon(\mathcal{E}_p)$ . Together with Eq. (79), we have the desired result. ■

### A. Second-Order Asymptotics of Quantum Erasure Channel

**Theorem 13** *For any quantum erasure channel  $\mathcal{E}_p$  with parameter  $p$  and input dimension  $d$ , we have*

$$C^{(1)}(\mathcal{E}_p^{\otimes n}, \varepsilon) = n(1-p)\log d + \sqrt{np(1-p)(\log d)^2} \Phi^{-1}(\varepsilon) + O(\log n), \quad (80)$$

where  $\Phi$  is the cumulative distribution function of a standard normal random variable.

*Proof:* For the direct part, denote

$$\mathcal{F}_1(\rho) := \sum_{i=0}^{d-1} \langle i|\rho|i\rangle |i\rangle\langle i|, \quad \text{and} \quad (81)$$

$$\mathcal{F}_2(\rho) := \sum_{i=0}^d \langle i|\rho|i\rangle |i\rangle\langle i|, \quad (82)$$

which are both classical channels. Then  $\mathcal{N}_p = \mathcal{F}_2 \circ \mathcal{E}_p \circ \mathcal{F}_1$  is a classical erasure channel. We have

$$C^{(1)}(\mathcal{E}_p^{\otimes n}, \varepsilon) \geq C^{(1)}(\mathcal{N}_p^{\otimes n}, \varepsilon) = n(1-p)\log d + \sqrt{np(1-p)(\log d)^2} \Phi^{-1}(\varepsilon) + O(\log n), \quad (83)$$

where the equality comes from the result in [4].

For the converse part, we have

$$C^{(1)}(\mathcal{E}_p^{\otimes n}, \varepsilon) \leq \min_{\mathcal{M} \in \mathcal{V}} D_H^\varepsilon(\mathcal{E}_p^{\otimes n}(\Phi_{A'A}^{\otimes n}) \| \mathcal{M}_{A^n \rightarrow B^n}(\Phi_{A'A}^{\otimes n})). \quad (84)$$

Take  $\mathcal{M}_{A^n \rightarrow B^n} = \mathcal{M}_{A' \rightarrow B}^{\otimes n}$ , where  $\mathcal{M}_{A' \rightarrow B}$  is the same CP map as given by Eq. (78), we have

$$D_H^\varepsilon(\mathcal{E}_p^{\otimes n}(\Phi_{A'A}^{\otimes n}) \| \mathcal{M}_{A' \rightarrow B}^{\otimes n}(\Phi_{A'A}^{\otimes n})) \quad (85)$$

$$= nD(\mathcal{E}_p(\Phi_{A'A}) \| \mathcal{M}(\Phi_{A'A})) \quad (86)$$

$$+ \sqrt{nV(\mathcal{E}_p(\Phi_{A'A}) \| \mathcal{M}(\Phi_{A'A}))} \Phi^{-1}(\varepsilon) + O(\log n)$$

$$= n(1-p)\log d + \sqrt{np(1-p)(\log d)^2} \Phi^{-1}(\varepsilon) + O(\log n).$$

In the second line, we use second-order expansion of quantum hypothesis testing relative entropy and  $V(\rho \| \sigma) := \text{Tr} \rho(\log \rho - \log \sigma)^2 - D(\rho \| \sigma)^2$  is the quantum information variance [42], [43]. The third line follows by direct calculation. Combining this with (84) leads to the desired bound. ■

### B. Moderate Deviation of Quantum Erasure Channel

**Theorem 14** *For any sequence  $\{a_n\}$  such that  $a_n \rightarrow 0$  and  $\sqrt{n}a_n \rightarrow \infty$ , let  $\varepsilon_n = e^{-na_n^2}$ . For any quantum erasure channel  $\mathcal{E}_p$  with parameter  $p$  and input dimension  $d$ , it holds*

$$\frac{1}{n} C^{(1)}(\mathcal{E}_p^{\otimes n}, \varepsilon_n) = (1-p)\log d - \sqrt{2p(1-p)(\log d)^2} a_n + o(a_n), \quad (87)$$

$$\frac{1}{n} C^{(1)}(\mathcal{E}_p^{\otimes n}, 1 - \varepsilon_n) = (1-p)\log d + \sqrt{2p(1-p)(\log d)^2} a_n + o(a_n). \quad (88)$$

*Proof:* We only need to prove Eq. (87), and Eq. (88) can be proved with the same argument. For the converse part,

we apply the moderate deviation of hypothesis testing in [13] and [14] to our meta-converse in Eq. (84). Specifically,

$$C^{(1)}(\mathcal{E}_p^{\otimes n}, \varepsilon) \leq D_H^\varepsilon(\mathcal{E}_p^{\otimes n}(\Phi_{A'A}^{\otimes n}) \| \mathcal{M}_{A' \rightarrow B}^{\otimes n}(\Phi_{A'A}^{\otimes n})), \quad (89)$$

where  $\mathcal{M}_{A' \rightarrow B}$  is the CP map given by Eq. (78). Thus

$$\begin{aligned} & \frac{1}{n} C^{(1)}(\mathcal{E}_p^{\otimes n}, \varepsilon_n) \\ & \leq \frac{1}{n} D_H^\varepsilon(\mathcal{E}_p^{\otimes n}(\Phi_{A'A}^{\otimes n}) \| \mathcal{M}_{A' \rightarrow B}^{\otimes n}(\Phi_{A'A}^{\otimes n})) \end{aligned} \quad (90)$$

$$= D(\mathcal{E}_p(\Phi_{A'A}) \| \mathcal{M}_{A' \rightarrow B}(\Phi_{A'A})) \quad (91)$$

$$\begin{aligned} & - \sqrt{2V(\mathcal{E}_p(\Phi_{A'A}) \| \mathcal{M}_{A' \rightarrow B}(\Phi_{A'A}))} a_n + o(a_n) \\ & = (1-p) \log d - \sqrt{2p(1-p)(\log d)^2} a_n + o(a_n). \end{aligned} \quad (92)$$

The direct part proceeds analogously to the direct part in Theorem 13. ■

#### APPENDIX A SOME PROPERTIES OF $\mathcal{V}_\beta$

**Lemma 15** *The set  $\mathcal{V}_\beta$  is convex.*

*Proof:* Due to the Choi-Jamiołkowski isomorphism, we only need to prove that the set  $\{K \geq 0 \mid \beta(K) \leq 1\}$  is convex. That is, for any  $K_1, K_2 \in \{K \geq 0 \mid \beta(K) \leq 1\}$  we prove that for any  $p \in (0, 1)$ ,

$$K = pK_1 + (1-p)K_2 \in \{K \geq 0 \mid \beta(K) \leq 1\}. \quad (93)$$

It is clear that  $K \geq 0$ . Suppose optimal solutions of  $\beta(K_1)$  and  $\beta(K_2)$  are  $\{R_1, S_1\}$  and  $\{R_2, S_2\}$ , respectively. Then we can verify that  $\{pR_1 + (1-p)R_2, pS_1 + (1-p)S_2\}$  is a feasible solution of  $\beta(K)$ . Thus  $\beta(K) \leq \text{Tr } pS_1 + (1-p)S_2 = p \text{Tr } S_1 + (1-p) \text{Tr } S_2 \leq 1$ . ■

**Lemma 16** *For any local unitary  $U_A \otimes V_B$  and  $K \geq 0$ , it holds  $\beta((U_A \otimes V_B)K(U_A^\dagger \otimes V_B^\dagger)) = \beta(K)$ .*

*Proof:* Suppose the optimal solution of  $\beta(K)$  is taken at  $\{R_{AB}, S_B\}$ . Then it is easy to verify that  $\{U_A \otimes \bar{V}_B R_{AB} U_A^\dagger \otimes V_B^T, V_B S_B V_B^\dagger\}$  is a feasible solution of  $\beta(U_A \otimes V_B K U_A^\dagger \otimes V_B^\dagger)$ . Thus we have

$$\beta(U_A \otimes V_B K U_A^\dagger \otimes V_B^\dagger) \leq \text{Tr } V_B S_B V_B^\dagger = \text{Tr } S_B = \beta(K).$$

Furthermore, we have  $\beta(K) = \beta((U_A^\dagger \otimes V_B^\dagger)(U_A \otimes V_B K U_A^\dagger \otimes V_B^\dagger)(U_A \otimes V_B)) \leq \beta(U_A \otimes V_B K U_A^\dagger \otimes V_B^\dagger)$ , which completes the proof. ■

**Corollary 17** *For any unitary channel  $\mathcal{U}_{A' \rightarrow A'}$  and  $\mathcal{V}_{B \rightarrow B}$ , if  $\mathcal{M}_{A' \rightarrow B} \in \mathcal{V}_\beta$ , then*

$$\mathcal{V}_{B \rightarrow B} \circ \mathcal{M}_{A' \rightarrow B} \circ \mathcal{U}_{A' \rightarrow A'} \in \mathcal{V}_\beta. \quad (94)$$

*Proof:* Denote  $J_{\mathcal{M}} = \mathcal{M}_{A' \rightarrow B}(\tilde{\Phi}_{A'A})$ , where  $\tilde{\Phi}_{A'A}$  denotes the unnormalized maximally entangled state. Let

$\mathcal{U}_{A' \rightarrow A'}(\cdot) = U_{A'} \cdot U_{A'}^\dagger$  and  $\mathcal{V}_{B \rightarrow B}(\cdot) = V_B \cdot V_B^\dagger$ . Since  $\mathcal{M}_{A' \rightarrow B} \in \mathcal{V}_\beta$ , we have  $J_{\mathcal{M}} \geq 0$  and  $\beta(J_{\mathcal{M}}) \leq 1$ . Then,

$$K_{AB} = \mathcal{V}_{B \rightarrow B} \circ \mathcal{M}_{A' \rightarrow B} \circ \mathcal{U}_{A' \rightarrow A'}(\tilde{\Phi}_{A'A}) \quad (95)$$

$$= \mathcal{V}_{B \rightarrow B} \circ \mathcal{M}_{A' \rightarrow B}(U_{A'} \tilde{\Phi}_{A'A} U_{A'}^\dagger) \quad (96)$$

$$= \mathcal{V}_{B \rightarrow B} \circ \mathcal{M}_{A' \rightarrow B}(U_A^T \tilde{\Phi}_{A'A} \bar{U}_A) \quad (97)$$

$$= \mathcal{V}_{B \rightarrow B}(U_A^T \mathcal{M}_{A' \rightarrow B}(\tilde{\Phi}_{A'A}) \bar{U}_A) \quad (98)$$

$$= U_A^T \otimes V_B J_{\mathcal{M}} \bar{U}_A \otimes V_B^\dagger. \quad (99)$$

So  $K_{AB} \geq 0$  and  $\beta(K_{AB}) = \beta(J_{\mathcal{M}}) \leq 1$ . Thus  $\mathcal{V}_{B \rightarrow B} \circ \mathcal{M}_{A' \rightarrow B} \circ \mathcal{U}_{A' \rightarrow A'} \in \mathcal{V}_\beta$ . ■

#### APPENDIX B PROOF OF LEMMA 18

Let  $G$  be a finite group, and for every  $g \in G$ , let  $g \rightarrow U_A(g)$  and  $g \rightarrow V_B(g)$  be unitary representation acting on the input and output spaces of the channel, respectively. Then a quantum channel  $\mathcal{N}_{A \rightarrow B}$  is  $G$ -covariant if  $\mathcal{N}_{A \rightarrow B}(U_A(g)\rho_A U_A^\dagger(g)) = V_B(g)\mathcal{N}_{A \rightarrow B}(\rho_A)V_B^\dagger(g)$  for all  $\rho_A \in \mathcal{S}(A)$ . We also introduce the average state  $\hat{\rho}_A = \frac{1}{|G|} \sum_g U_A(g)\rho_A U_A^\dagger(g)$ .

For the convenience of presenting the strong converse results in Appendix C, we need to introduce the sandwiched Rényi relative entropy. For any  $\rho \in \mathcal{S}$ ,  $\sigma \geq 0$  and  $\alpha \in (1, \infty)$ , the sandwiched Rényi relative entropy is defined as [44] and [45],

$$\tilde{D}_\alpha(\rho \| \sigma) := \frac{1}{\alpha - 1} \log \text{Tr}((\sigma^{\frac{1-\alpha}{2\alpha}} \rho \sigma^{\frac{1-\alpha}{2\alpha}})^\alpha), \quad (100)$$

if  $\text{supp } \rho \subseteq \text{supp } \sigma$  and it is equal to  $+\infty$  otherwise. We further introduce the Rényi version of  $\Upsilon$ -information:

$$\tilde{\Upsilon}_\alpha(\mathcal{N}, \rho_{A'}) := \min_{\mathcal{M} \in \mathcal{V}} \tilde{D}_\alpha(\mathcal{N}_{A' \rightarrow B}(\phi_{A'A}) \| \mathcal{M}_{A' \rightarrow B}(\phi_{A'A})),$$

where  $\phi_{A'A}$  is a purification of  $\rho_{A'}$  as usual. The following is a direct adaptation of [39, Proposition 2].

**Lemma 18** *Let  $\mathcal{N}_{A' \rightarrow B}$  be  $G$ -covariant with the average state  $\hat{\rho}_{A'}$ . Then,  $\tilde{\Upsilon}_\alpha(\mathcal{N}, \rho_{A'}) \leq \tilde{\Upsilon}_\alpha(\mathcal{N}, \hat{\rho}_{A'})$ .*

*Proof:* Consider the pure quantum state

$$|\psi\rangle_{PAA'} = \sum_g \frac{1}{\sqrt{|G|}} |g\rangle \otimes (\mathbb{1}_A \otimes U_{A'}(g)) |\phi_{AA'}^\rho\rangle \quad (101)$$

which purifies  $\hat{\rho}_{A'}$ . Then for any fixed CP map  $\mathcal{M}_{A' \rightarrow B} \in \mathcal{V}$ , we have the following chain of inequalities in (102)-(106), shown at the top of the next page. The second line follows from monotonicity of the sandwiched Rényi relative entropy under the channel  $\sum_g |g\rangle\langle g| \cdot |g\rangle\langle g|$ . The third line follows from the  $G$ -invariance of the channel  $\mathcal{N}_{A' \rightarrow B}$ . The fourth line follows from unitary invariance of the sandwiched Rényi relative entropy under  $\sum_g |g\rangle\langle g| \otimes V_B^\dagger(g)$ . The fifth line follows from monotonicity of the sandwiched Rényi relative entropy under the partial trace over  $P$ . The last line follows from the fact that  $\sum_g \frac{1}{|G|} \mathcal{V}_B^\dagger(g) \circ \mathcal{M}_{A' \rightarrow B} \circ \mathcal{U}_{A'}(g)$  is still an element in  $\mathcal{V}$ .

Finally, we minimize over all maps  $\mathcal{M} \in \mathcal{V}$ . The conclusion then follows because all purifications are related by an isometry acting on the purifying system and the quantity  $\tilde{\Upsilon}_\alpha(\mathcal{N}, \rho_{A'})$

$$\begin{aligned} & \tilde{D}_\alpha(\mathcal{N}_{A' \rightarrow B}(\psi_{PAA'}) \parallel \mathcal{M}_{A' \rightarrow B}(\psi_{PAA'})) \\ & \geq \tilde{D}_\alpha\left(\sum_g \frac{1}{|G|} |g\rangle\langle g|_P \otimes \mathcal{N}_{A' \rightarrow B} \circ \mathcal{U}_{A'}(g)(\phi_{A'}) \parallel \sum_g \frac{1}{|G|} |g\rangle\langle g|_P \otimes \mathcal{M}_{A' \rightarrow B} \circ \mathcal{U}_{A'}(g)(\phi_{A'})\right) \end{aligned} \quad (102)$$

$$= \tilde{D}_\alpha\left(\sum_g \frac{1}{|G|} |g\rangle\langle g|_P \otimes \mathcal{V}_B(g) \circ \mathcal{N}_{A' \rightarrow B}(\phi_{A'}) \parallel \sum_g \frac{1}{|G|} |g\rangle\langle g|_P \otimes \mathcal{M}_{A' \rightarrow B} \circ \mathcal{U}_{A'}(g)(\phi_{A'})\right) \quad (103)$$

$$= \tilde{D}_\alpha\left(\sum_g \frac{1}{|G|} |g\rangle\langle g|_P \otimes \mathcal{N}_{A' \rightarrow B}(\phi_{A'}) \parallel \sum_g \frac{1}{|G|} |g\rangle\langle g|_P \otimes \mathcal{V}_B^\dagger(g) \circ \mathcal{M}_{A' \rightarrow B} \circ \mathcal{U}_{A'}(g)(\phi_{A'})\right) \quad (104)$$

$$\geq \tilde{D}_\alpha\left(\mathcal{N}_{A' \rightarrow B}(\phi_{A'}) \parallel \sum_g \frac{1}{|G|} \mathcal{V}_B^\dagger(g) \circ \mathcal{M}_{A' \rightarrow B} \circ \mathcal{U}_{A'}(g)(\phi_{A'})\right) \quad (105)$$

$$\geq \min_{\mathcal{M} \in \mathcal{V}} \tilde{D}_\alpha(\mathcal{N}_{A' \rightarrow B}(\phi_{A'}) \parallel \mathcal{M}_{A' \rightarrow B}(\phi_{A'})). \quad (106)$$

is invariant under isometries acting on the purifying system. ■

Furthermore, we should note that in the proof we only use the monotonicity of the sandwiched Rényi relative entropy. The result can thus be trivially generalized to other divergences and distance measures, including the hypothesis testing divergence and the quantum relative entropy.

#### APPENDIX C

##### STRONG CONVERSE FOR $\Upsilon$ -INFORMATION

In this section, we are trying to establish the strong converse of  $\Upsilon$ -information and obtain some partial results. Specifically, we show that  $\Upsilon$  is a strong converse for covariant channels.

**Proposition 19** *For any quantum channel  $\mathcal{N}_{A' \rightarrow B}$  and unassisted code with achievable  $(r, n, \varepsilon)$ , it holds*

$$\varepsilon \geq 1 - 2^{-n\left(\frac{\alpha-1}{\alpha}\right)\left(r - \frac{1}{n}\tilde{\Upsilon}_\alpha(\mathcal{N}^{\otimes n})\right)}, \quad (107)$$

where  $\tilde{\Upsilon}_\alpha(\mathcal{N}) := \max_{\rho_{A'}} \tilde{\Upsilon}_\alpha(\mathcal{N}, \rho_{A'})$ .

*Proof:* Suppose  $(r, n, \varepsilon)$  is achieved by the average input state  $\rho_{A^n}$ . From the proof of Theorem 7, we have the inequality that  $C^{(1)}(\mathcal{N}^{\otimes n}, \rho_{A^n}, \varepsilon) \leq D_H^\varepsilon(\mathcal{N}_{A' \rightarrow B}^{\otimes n}(\phi_{A^n A^n}) \parallel \mathcal{M}_{A' \rightarrow B^n}(\phi_{A^n A^n}))$ . Suppose  $\{F_{A^n B^n}, \mathbb{1} - F_{A^n B^n}\}$  is the optimal test of  $D_H^\varepsilon(\mathcal{N}_{A' \rightarrow B}^{\otimes n}(\phi_{A^n A^n}) \parallel \mathcal{M}_{A' \rightarrow B^n}(\phi_{A^n A^n}))$ . We obtain

$$nr \leq -\log f_2 \quad \text{and} \quad 1 - \varepsilon \leq f_1, \quad (108)$$

$$\text{with } f_1 = \text{Tr } F_{A^n B^n} \mathcal{N}_{A' \rightarrow B}^{\otimes n}(\phi_{A^n A^n}), \quad (109)$$

$$f_2 = \text{Tr } F_{A^n B^n} \mathcal{M}_{A' \rightarrow B^n}(\phi_{A^n A^n}). \quad (110)$$

Due to the monotonicity of the sandwiched Rényi relative entropy under the test  $\{F_{A^n B^n}, \mathbb{1} - F_{A^n B^n}\}$ , we have

$$\tilde{D}_\alpha(\mathcal{N}_{A' \rightarrow B}^{\otimes n}(\phi_{A^n A^n}) \parallel \mathcal{M}_{A' \rightarrow B^n}(\phi_{A^n A^n})) \geq \delta_\alpha(f_1 \parallel f_2),$$

where  $\delta_\alpha(p \parallel q) := \frac{1}{\alpha-1} \log(p^\alpha q^{1-\alpha} + (1-p)^\alpha (1-q)^{1-\alpha})$ . Using Eqs. (108), we thus find

$$\begin{aligned} \min_{\mathcal{M} \in \mathcal{V}} \tilde{D}_\alpha(\mathcal{N}_{A' \rightarrow B}^{\otimes n}(\phi_{A^n A^n}) \parallel \mathcal{M}_{A' \rightarrow B^n}(\phi_{A^n A^n})) \\ \geq \delta_\alpha(\varepsilon \parallel 1 - 2^{-nr}). \end{aligned} \quad (111)$$

Maximizing over all average input state  $\rho_{A^n}$ , we conclude that

$$\tilde{\Upsilon}_\alpha(\mathcal{N}^{\otimes n}) \geq \delta_\alpha(\varepsilon \parallel 1 - 2^{-nr}) \quad (112)$$

$$\geq \frac{1}{\alpha-1} \log(1-\varepsilon)^\alpha (2^{-nr})^{1-\alpha} \quad (113)$$

$$= \frac{\alpha}{\alpha-1} \log(1-\varepsilon) + nr, \quad (114)$$

which implies that  $\varepsilon \geq 1 - 2^{-n\left(\frac{\alpha-1}{\alpha}\right)\left(r - \frac{1}{n}\tilde{\Upsilon}_\alpha(\mathcal{N}^{\otimes n})\right)}$ . ■

Note that any generalization of the Rényi divergence that satisfies the data-processing inequality would suffice for this proof. But the monotonicity (in terms of  $\alpha$ ) of the sandwiched Rényi divergence is required in the following proof.

**Proposition 20** *For any covariant channel  $\mathcal{N}$ ,  $\Upsilon(\mathcal{N})$  is a strong converse bound on the classical capacity.*

*Proof:* From Lemma 18, we can fix the average input state of  $\tilde{\Upsilon}_\alpha(\mathcal{N})$  to be the maximally mixed state. Then  $\tilde{\Upsilon}_\alpha$  is subadditive, i.e.,  $\tilde{\Upsilon}_\alpha(\mathcal{N}^{\otimes n}) \leq n\tilde{\Upsilon}_\alpha(\mathcal{N})$ . Thus from Eq. (107), we have

$$\varepsilon \geq 1 - 2^{-n\left(\frac{\alpha-1}{\alpha}\right)\left(r - \tilde{\Upsilon}_\alpha(\mathcal{N})\right)}. \quad (115)$$

The quantity  $\tilde{\Upsilon}_\alpha(\mathcal{N})$  is monotonically increasing in  $\alpha$ . Following the proof of [39, Lemma 3], we can also show that  $\lim_{\alpha \rightarrow 1^+} \tilde{\Upsilon}_\alpha(\mathcal{N}) = \Upsilon(\mathcal{N})$ . Hence, for  $r > \Upsilon(\mathcal{N})$ , there always exists an  $\alpha > 1$  such that  $r > \tilde{\Upsilon}_\alpha(\mathcal{N})$ . Therefore the error  $\varepsilon$  will to to 1 as  $n$  goes to infinity. ■

The following two properties would be required to show that  $\Upsilon$  is a strong converse bound for general channels.

- Weak subadditivity:  $\tilde{\Upsilon}_\alpha(\mathcal{N}^{\otimes n}) \leq n\tilde{\Upsilon}_\alpha(\mathcal{N}) + o(n)$
- Continuity:  $\lim_{\alpha \rightarrow 1^+} \tilde{\Upsilon}_\alpha(\mathcal{N}) = \Upsilon(\mathcal{N})$ .

#### APPENDIX D

##### NEW META-CONVERSE OVER $\mathcal{V}_\beta$ IS AN SDP

In this section, we show that our new meta-converse in Theorem 7 can be written as an SDP. Let us first write

$$\min_{\mathcal{M} \in \mathcal{V}_\beta} \max_{\rho_{A'}} D_H^\varepsilon(\mathcal{N}_{A' \rightarrow B}(\phi_{A'}) \parallel \mathcal{M}_{A' \rightarrow B}(\phi_{A'})) \quad (116)$$

$$= -\log \max_{\mathcal{M} \in \mathcal{V}_\beta} \min_{\rho_A} \beta_\varepsilon(\sqrt{\rho_A} J_{\mathcal{N}} \sqrt{\rho_A} \parallel \sqrt{\rho_A} J_{\mathcal{M}} \sqrt{\rho_A}). \quad (117)$$

According to the definition of  $\beta_\varepsilon$ , the minimization part in (117) is equivalent to the optimization,

$$\begin{aligned} & \underset{\rho_A, F_{AB}}{\text{minimize}} \quad \text{Tr} \sqrt{\rho_A} J_{\mathcal{M}} \sqrt{\rho_A} F_{AB} \\ & \text{subject to} \quad \text{Tr} \sqrt{\rho_A} J_{\mathcal{N}} \sqrt{\rho_A} F_{AB} \geq 1 - \varepsilon, \\ & \quad 0 \leq F_{AB} \leq \mathbb{1}_{AB}, \rho_A \geq 0, \text{Tr} \rho_A = 1. \end{aligned} \quad (118)$$

Let  $G_{AB} = \sqrt{\rho_A} F_{AB} \sqrt{\rho_A}$ . We have (118) being equivalent to

$$\begin{aligned} & \underset{\rho_A, G_{AB}}{\text{minimize}} \quad \text{Tr} J_{\mathcal{M}} G_{AB} \\ & \text{subject to} \quad \text{Tr} J_{\mathcal{N}} G_{AB} \geq 1 - \varepsilon, \\ & \quad 0 \leq G_{AB} \leq \rho_A \otimes \mathbb{1}_B, \rho_A \geq 0, \text{Tr} \rho_A = 1, \end{aligned} \quad (119)$$

with the dual SDP given by

$$\begin{aligned} & \underset{x, y, Z_{AB}}{\text{maximize}} \quad (1 - \varepsilon)x + y \\ & \text{subject to} \quad J_{\mathcal{M}} - x J_{\mathcal{N}} + Z_{AB} \geq 0, \\ & \quad y \mathbb{1}_A + \text{Tr}_B Z_{AB} \leq 0, x \geq 0, Z_{AB} \geq 0. \end{aligned} \quad (120)$$

Finally, combining (120) with the maximization condition  $\mathcal{M} \in \mathcal{V}_\beta$  in (117), we obtain the following SDP for the meta-converse (116):

$$\begin{aligned} -\log & \underset{x, y, J_{\mathcal{M}}, Z_{AB}, S_B, R_{AB}}{\text{maximize}} \quad (1 - \varepsilon)x + y \\ & \text{subject to} \quad J_{\mathcal{M}} - x J_{\mathcal{N}} + Z_{AB} \geq 0, \\ & \quad y \mathbb{1}_A + \text{Tr}_B Z_{AB} \leq 0, \\ & \quad x \geq 0, Z_{AB} \geq 0, \text{Tr} S_B \leq 1 \\ & \quad -R_{AB} \leq J_{\mathcal{M}}^{T_B} \leq R_{AB}, \\ & \quad -\mathbb{1}_A \otimes S_B \leq R_{AB}^{T_B} \leq \mathbb{1}_A \otimes S_B. \end{aligned} \quad (121)$$

#### ACKNOWLEDGMENTS

The authors would like to thanks Mark M. Wilde for comments on a previous version of this manuscript which inspired us to improve Theorem 5.

#### REFERENCES

- [1] A. S. Holevo, "Bounds for the quantity of information transmitted by a quantum communication channel," *Problems Inf. Transmiss.*, vol. 9, no. 3, pp. 3–11, 1973.
- [2] A. S. Holevo, "The capacity of the quantum channel with general signal states," *IEEE Trans. Inf. Theory*, vol. 44, no. 1, pp. 269–273, Jan. 1998.
- [3] B. Schumacher and M. D. Westmoreland, "Sending classical information via noisy quantum channels," *Phys. Rev. A*, vol. 56, no. 1, p. 131, Jul. 1997.
- [4] Y. Polyanskiy, H. V. Poor, and S. Verdú, "Channel coding rate in the finite blocklength regime," *IEEE Trans. Inf. Theory*, vol. 56, no. 5, pp. 2307–2359, May 2010.
- [5] W. Matthews and S. Wehner, "Finite blocklength converse bounds for quantum channels," *IEEE Trans. Inf. Theory*, vol. 60, no. 11, pp. 7317–7329, Nov. 2014.
- [6] M. Mosonyi and N. Datta, "Generalized relative entropies and the capacity of classical-quantum channels," *J. Math. Phys.*, vol. 50, no. 7, Jun. 2009, Art. no. 72104.
- [7] L. Wang and R. Renner, "One-shot classical-quantum capacity and hypothesis testing," *Phys. Rev. Lett.*, vol. 108, no. 20, May 2012, Art. no. 200501.
- [8] J. M. Renes and R. Renner, "Noisy channel coding via privacy amplification and information reconciliation," *IEEE Trans. Inf. Theory*, vol. 57, no. 11, pp. 7377–7385, Nov. 2011.
- [9] M. Hayashi, *Quantum Information*, vol. 1. Berlin, Germany: Springer-Verlag, 2006. doi: 10.1007/3-540-30266-2.
- [10] X. Wang, W. Xie, and R. Duan, "Semidefinite programming strong converse bounds for classical capacity," *IEEE Trans. Inf. Theory*, vol. 64, no. 1, pp. 640–653, Jan. 2018.
- [11] W. Matthews, "A linear program for the finite block length converse of polyanskiy–poor–verdú via nonsignaling codes," *IEEE Trans. Inf. Theory*, vol. 58, no. 12, pp. 7036–7044, Dec. 2012.
- [12] M. Tomamichel and V. Y. F. Tan, "Second-order asymptotics for the classical capacity of image-additive quantum channels," *Commun. Math. Phys.*, vol. 338, no. 1, pp. 103–137, Aug. 2015.
- [13] H.-C. Cheng and M.-H. Hsieh, (Jan. 2017). "Moderate deviation analysis for classical-quantum channels and quantum hypothesis testing." [Online]. Available: <https://arxiv.org/abs/1701.03195>
- [14] C. T. Chubb, V. Y. F. Tan, and M. Tomamichel, "Moderate deviation analysis for classical communication over quantum channels," *Commun. Math. Phys.*, vol. 355, no. 3, pp. 1283–1315, Nov. 2017.
- [15] G. Chiribella, G. M. D'Ariano, and P. Perinotti, "Transforming quantum operations: Quantum supermaps," *Europhys. Lett.*, vol. 83, no. 3, Jul. 2008, Art. no. 30004.
- [16] R. Duan and A. Winter, "No-signalling-assisted zero-error capacity of quantum channels and an information theoretic interpretation of the Lovász number," *IEEE Trans. Inf. Theory*, vol. 62, no. 2, pp. 891–914, Feb. 2016.
- [17] C. W. Helstrom, *Quantum Detection and Estimation Theory*, vol. 1. New York, NY, USA: Academic, 1969.
- [18] F. Hiai and D. Petz, "The proper formula for relative entropy and its asymptotics in quantum probability," *Commun. Math. Phys.*, vol. 143, no. 1, pp. 99–114, Dec. 1991.
- [19] T. Ogawa and H. Nagaoka, "Strong converse and Stein's lemma in quantum hypothesis testing," *IEEE Trans. Inf. Theory*, vol. 46, no. 7, pp. 2428–2433, Nov. 2000.
- [20] M. Hayashi, (Sep. 2017). "Role of hypothesis testing in quantum information." [Online]. Available: <https://arxiv.org/abs/1709.07701>
- [21] K. Fang, X. Wang, M. Tomamichel, and R. Duan, (Jun. 2017). "Non-asymptotic entanglement distillation." [Online]. Available: <https://arxiv.org/abs/1706.06221>
- [22] H. Qi, Q. Wang, and M. M. Wilde, "Applications of position-based coding to classical communication over quantum channels," *J. Phys. A, Math. Theor.*, vol. 51, no. 44, Oct. 2018, Art. no. 444002.
- [23] A. Anshu, R. Jain, and N. A. Warsi, (Feb. 2017). "One shot entanglement assisted classical and quantum communication over noisy quantum channels: A hypothesis testing and convex split approach." [Online]. Available: <https://arxiv.org/abs/1702.01940>
- [24] B. Regula, K. Fang, X. Wang, and G. Adesso, "One-shot coherence distillation," *Phys. Rev. Lett.*, vol. 121, no. 1, Jul. 2018, Art. no. 010401.
- [25] M. Tomamichel, M. Berta, and J. M. Renes, "Quantum coding with finite resources," *Nature Commun.*, vol. 7, May 2016, Art. no. 11419.
- [26] X. Wang, M. M. Wilde, and Y. Su, (Dec. 2018). "Efficiently computable bounds for magic state distillation." [Online]. Available: <https://arxiv.org/abs/1812.10145>
- [27] M.-D. Choi, "Completely positive linear maps on complex matrices," *Linear Algebra Appl.*, vol. 10, no. 3, pp. 285–290, Jun. 1975.
- [28] A. Jamiolkowski, "Linear transformations which preserve trace and positive semidefiniteness of operators," *Reports Math. Phys.*, vol. 3, no. 4, pp. 275–278, Dec. 1972.
- [29] D. Yang and A. Winter, "Potential capacities of quantum channels," *IEEE Trans. Inf. Theory*, vol. 62, no. 3, pp. 1415–1424, Mar. 2016.
- [30] G. Smith, J. A. Smolin, and A. Winter, "The quantum capacity with symmetric side channels," *IEEE Trans. Inf. Theory*, vol. 54, no. 9, pp. 4208–4217, Sep. 2008.
- [31] P. Hayden and A. Winter, "Weak decoupling duality and quantum identification," *IEEE Trans. Inf. Theory*, vol. 58, no. 7, pp. 4914–4929, Jul. 2012.
- [32] A. Acín, R. Duan, D. E. Roberson, A. B. Sainz, and A. Winter, "A new property of the Lovász number and duality relations between graph parameters," *Discrete Appl. Math.*, vol. 216, pp. 489–501, Jan. 2017.
- [33] R. Duan and X. Wang, (Oct. 2015). "Activated zero-error classical communication over quantum channels assisted with quantum no-signalling correlations." [Online]. Available: <https://arxiv.org/abs/1510.05437>
- [34] S. Boyd and L. Vandenberghe, *Convex Optimization*. Cambridge, U.K.: Cambridge Univ. Press, 2004.
- [35] B. Schumacher and M. D. Westmoreland, "Optimal signal ensembles," *Phys. Rev. A, Gen. Phys.*, vol. 63, no. 2, Jan. 2001, Art. no. 22308.

- [36] N. Sharma and N. A. Warsi. (May 2012). "On the strong converses for the quantum channel capacity theorems." [Online]. Available: <https://arxiv.org/abs/1205.1712>
- [37] M. Sion, "On general minimax theorems," *Pacific J. Math.*, vol. 8, no. 1, pp. 171–176, 1958.
- [38] N. Datta and M.-H. Hsieh, "One-shot entanglement-assisted quantum and classical communication," *IEEE Trans. Inf. Theory*, vol. 59, no. 3, pp. 1929–1939, Mar. 2013.
- [39] M. Tomamichel, M. M. Wilde, and A. Winter, "Strong converse rates for quantum communication," *IEEE Trans. Inf. Theory*, vol. 63, no. 1, pp. 715–727, Jan. 2017.
- [40] C. H. Bennett, D. P. DiVincenzo, and J. A. Smolin, "Capacities of quantum erasure channels," *Phys. Rev. Lett.*, vol. 78, no. 16, p. 3217, Apr. 1997.
- [41] M. M. Wilde and A. Winter, "Strong converse for the quantum capacity of the erasure channel for almost all codes," in *Proc. 9th Conf. Theory Quantum Comput., Commun., Cryptogr.*, May 2014, pp. 52–62.
- [42] M. Tomamichel and M. Hayashi, "A hierarchy of information quantities for finite block length analysis of quantum tasks," *IEEE Trans. Inf. Theory*, vol. 59, no. 11, pp. 7693–7710, Nov. 2013.
- [43] K. Li, "Second-order asymptotics for quantum hypothesis testing," *Ann. Stat.*, vol. 42, no. 1, pp. 171–189, 2014.
- [44] M. Müller-Lennert, F. Dupuis, O. Szehr, S. Fehr, and M. Tomamichel, "On quantum Rényi entropies: A new generalization and some properties," *J. Math. Phys.*, vol. 54, no. 12, Dec. 2013, Art. no. 122203.
- [45] M. M. Wilde, A. Winter, and D. Yang, "Strong converse for the classical capacity of entanglement-breaking and Hadamard channels via a sandwiched Rényi relative entropy," *Commun. Math. Phys.*, vol. 331, no. 2, pp. 593–622, Oct. 2014.

**Xin Wang** is currently a Hartree Postdoctoral Fellow at the Joint Center for Quantum Information and Computer Science (QuICS) at the University of Maryland, College Park. He received the Ph.D. degree in quantum information from the University of Technology Sydney in August 2018. His research interests include quantum information theory, fault-tolerant quantum computation, and optimization theory.

**Kun Fang** is currently a Postdoctoral Researcher at the Department of Applied Mathematics and Theoretical Physics, University of Cambridge.

He received the Ph.D. degree in quantum information from the University of Technology Sydney in October 2018. He received the B.S. degree from Wuhan University. His research interests include the theory of quantum information and optimization theory.

**Marco Tomamichel** (M'13–SM'16) is a Senior Lecturer at the Centre for Quantum Software and Information and School of Software, Faculty of Engineering and Information Technology at the University of Technology Sydney.

He received a M.Sc. in Electrical Engineering and Information Technology degree from ETH Zurich (Switzerland) in 2007. He then graduated with a Ph.D. in Physics at the Institute of Theoretical Physics at ETH Zurich in 2012. Before commencing his current position, he has been a Senior Research Fellow at the Centre for Quantum Technologies at the National University of Singapore and a Lecturer at the School of Physics at the University of Sydney.

His research interests include classical and quantum information theory with finite resources as well as applications to cryptography.